


PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)



Applicant's or agent's file reference P00195PCT	FOR FURTHER ACTION See Form PCT/IPEA/416	
International application No. PCT/SE2004/001701	International filing date (day/month/year) 19-11-2004	Priority date (day/month/year) 20-11-2003
International Patent Classification (IPC) or national classification and IPC See Supplemental Box		
Applicant Micronic Laser Systems AB et al		

- This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.
- This REPORT consists of a total of 8 sheets, including this cover sheet.
- This report is also accompanied by ANNEXES, comprising:
 - ☒ (sent to the applicant and to the International Bureau) a total of 6 sheets, as follows:
 - ☐ sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).
 - ☐ sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.
 - ☐ (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) _____, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).

- This report contains indications relating to the following items:

- | | | |
|-------------------------------------|--------------|---|
| <input checked="" type="checkbox"/> | Box No. I | Basis of the report |
| <input type="checkbox"/> | Box No. II | Priority |
| <input checked="" type="checkbox"/> | Box No. III | Non-establishment of opinion with regard to novelty, inventive step and industrial applicability |
| <input type="checkbox"/> | Box No. IV | Lack of unity of invention |
| <input checked="" type="checkbox"/> | Box No. V | Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement |
| <input type="checkbox"/> | Box No. VI | Certain documents cited |
| <input type="checkbox"/> | Box No. VII | Certain defects in the international application |
| <input type="checkbox"/> | Box No. VIII | Certain observations on the international application |

Date of submission of the demand 17-05-2005	Date of completion of this report 13-12-2005/MN
Name and mailing address of the IPEA/SE Patent- och registreringsverket Box 5055 S-102 42 STOCKHOLM Facsimile No. +46 8 667 72 88	Authorized officer Anna Lundqvist Telephone No. +46 8 782 25 00

Form PCT/IPEA/409 (cover sheet) (April 2005)

BEST AVAILABLE COPY

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001701

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of: Cover sheet

INTERNATIONAL PATENT CLASSIFICATION (IPC) :

H01L 21/027 (2006.01)

G02B 26/00 (2006.01)

G03F 7/20 (2006.01)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001701

Box No. I Basis of the report

1. With regard to the language, this report is based on:

- ☐ the international application in the language in which it was filed
- ☐ a translation of the international application into _____, which is the language of a translation furnished for the purposes of:
- ☐ international search (Rules 12.3(a) and 23.1(b))
- ☐ publication of the international application (Rule 12.4(a))
- ☐ international preliminary examination (Rules 55.2(a) and/or 55.3(a))

2. With regard to the elements of the international application, this report is based on *(replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report)*:

- ☐ the international application as originally filed/furnished
- ☒ the description:
- pages 1 - 10 _____ as originally filed/furnished
- pages* _____ received by this Authority on _____
- pages* _____ received by this Authority on _____
- ☒ the claims:
- pages _____ as originally filed/furnished
- pages* 11 - 16 _____ as amended (together with any statement) under Article 19
- pages* _____ received by this Authority on _____
- pages* _____ received by this Authority on _____
- ☒ the drawings:
- pages 1 - 5 _____ as originally filed/furnished
- pages* _____ received by this Authority on _____
- pages* _____ received by this Authority on _____
- ☐ a sequence listing and/or any related table(s) – see Supplemental Box Relating to Sequence Listing.

3. ☐ The amendments have resulted in the cancellation of:

- ☐ the description, pages _____
- ☐ the claims, Nos. _____
- ☐ the drawings, sheets/figs _____
- ☐ the sequence listing (*specify*): _____
- ☐ any table(s) related to the sequence listing (*specify*): _____

4. ☐ This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).

- ☐ the description, pages _____
- ☐ the claims, Nos. _____
- ☐ the drawings, sheets/figs _____
- ☐ the sequence listing (*specify*): _____
- ☐ any table(s) related to the sequence listing (*specify*): _____

* If item 4 applies, some or all of those sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001701

Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non obvious), or to be industrially applicable have not been examined in respect of:

☐ the entire international application☒ claims Nos. 2, 25

because:

☐ the said international application, or the said claims Nos. _____
relate to the following subject matter which does not require an international preliminary examination (*specify*):☒ the description, claims or drawings (*indicate particular elements below*) or said claims Nos. 2, 25
are so unclear that no meaningful opinion could be formed (*specify*):

Claims 2 and 25 are considered to be statements of desiderata
as they lack all technical features necessary for achieving
the alleged non-uniformity.

☐ the claims, or said claims Nos. _____ are so inadequately supported
by the description that no meaningful opinion could be formed (*specify*):☒ no international search report has been established for said claims Nos. 2, 25☐ a meaningful opinion could not be formed without the sequence listing; the applicant did not, within the prescribed time limit:☐ furnish a sequence listing on paper complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.☐ furnish a sequence listing in electronic form complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.☐ pay the required late furnishing fee for the furnishing of a sequence listing in response to an invitation under Rules 13ter.1(a) or (b) and 13ter.2.☐ a meaningful opinion could not be formed without the tables related to the sequence listings; the applicant did not, within the prescribed time limit, furnish such tables in electronic form complying with the technical requirements provided for in Annex C-bis of the Administrative Instructions, and such tables were not available to the International Preliminary Examining Authority in a form and manner acceptable to it.☐ the tables related to the nucleotide and/or amino acid sequence listing, if in electronic form only, do not comply with the technical requirements provided for in the Annex C-bis of the Administrative Instructions.☐ See Supplemental Box for further details.

PCT/SE2004/001701

1. Statement

Claims

1, 3-24 and 26

YES

Claims

NO

Claims

1. 3-24 and 26

YES

Claims

NO

Claims

1. 3-24 and 26

YES

Claims

NO

...

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of: BOX V

lines 3-36.

The method and apparatus for patterning a work piece by determining the uniformity as a function of the number of flashes described in document D1 are considered as representing the most relevant prior art. The invention as defined in claims 1-4 differs from this technique in that it uses a partially coherent electromagnetic radiation source having a speckle pattern which is a fine grained random variation in illumination different from mode to mode and/or flash to flash, and in that the uniformity is determined for a plurality of layers.

The invention as defined in the independent claims 5-8 and 18-22 differs from the technique described in D1 in that it uses a partially coherent electromagnetic radiation source having a speckle pattern which is a fine grained random variation in illumination different from mode to mode and/or flash to flash, and in that the uniformity is improved by changing different parameters, such as the number of exposure flashes or the radiation band width.

The invention as defined in the independent claim 10 differs from the technique described in D1 in that it uses a partially coherent electromagnetic radiation source having a speckle pattern which is a fine grained random variation in illumination different from mode to mode and/or flash to flash, and in that the uniformity is improved by increasing different parameters, such as the number of exposure flashes or the radiation band width.

The invention as defined in the independent claim 24 differs from the technique described in D1 in that it uses a partially coherent electromagnetic radiation source having a speckle pattern which is a fine grained random variation in illumination different from mode to mode and/or flash to flash, and in that it optimizes a speckle during microlithographic printing.

However, none of the above mentioned documents, D1-D4, includes a partially coherent radiation source giving rise to a random speckle pattern. Therefore, what is mentioned in

.../...

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of: BOX V

claims 1, 4-8, 10, 18-22 and 24 is considered new and including an inventive step.

Also what is mentioned claims 3, 9, 11-17 and 26 is considered new and involving an inventive step.

The technique described in claims 1-26 is industrially applicable.
lines 3-36.

The method and apparatus for patterning a work piece by determining the uniformity as a function of the number of flashes described in document D1 are considered as representing the most relevant prior art. The invention as defined in claims 1, 4-8, 10, 18 and 23-25 differs from this technique in that it uses a partially coherent electromagnetic radiation source having a speckle pattern which is a fine grained random variation in illumination different from mode to mode and/or flash to flash.

However, none of the above mentioned documents, D1-D4, includes a partially coherent radiation source giving rise to a random speckle pattern. Therefore, what is mentioned in claims 1, 4-8, 10, 18 and 23-25 is considered new and including an inventive step.

Also what is mentioned claims 2-3, 9, 11-17, 19-22 and 26 is considered new and involving an inventive step.

The technique described in claims 1-26 is industrially applicable.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001701

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

Claims 2, 3, 10-13, 18-21, 23, and 25-26 (in part) are considered to be statements of desiderata as they lack all technical features necessary for achieving the alleged non-uniformity. Consequently, the search is directed only towards the technical features mentioned.

All abbreviations should be written out in full, so as to clarify what they stand for. For example CD, NA, MEEF factor etc.

In [0039] it should read "Instead of a reticle it has..." and in [0048] the word micromirror should have two "r".

17-05-2005

CLAIMS

1 1. A method to pattern a workpiece with improved CD uniformity using a
2 partially coherent electromagnetic radiation source having a speckle
3 pattern which is a fine grained random variation in illumination
4 different from mode to mode and/or flash to flash, including the
5 actions of:

- 6 - determining, for a plurality of layers in said workpiece, CD
7 uniformity due to said speckle as a function of a number of
8 exposure flashes,
- 9 - determining, for a plurality of layers in said workpiece, the
10 cost of patterning as a function of the number of exposure
11 flashes,
- 12 - selecting the number of exposure flashes on a layer by layer
13 basis, which gives a predetermined CD uniformity
14 corresponding to a preferred cost.

1 2. The method according to claim 1, further comprising the action of:

- 2 - selecting a combination of values of the following
3 parameters:

- 4 • radiation bandwidth
- 5 • pulse length
- 6 • radiation flash frequency

7 so that a calculated illumination non-uniformity (3 sigma) from
8 speckle amounts to less than 0.5%.

1 3. The method according to claim 1 or 2, further comprising the action of:

- 2 - determining a value of a slit width so that a calculated
3 illumination non-uniformity (3 sigma) from speckle amounts
4 to less than 0.5%.

1 4. A computer assisted apparatus for printing a workpiece with improved
2 CD uniformity by using a partially coherent radiation source having a
3 speckle pattern which is a fine grained random variation in
4 illumination different from mode to mode and/or flash to flash,
5 comprising:

- 6 - logic and resources that determine, for a plurality of layers in
7 said workpiece, CD uniformity due to said speckle as a
8 function of the number of exposure flashes,
9 - logic and resources that determine, for the plurality of layers
10 in said workpiece, a cost of patterning as a function of the
11 number of exposure flashes,
12 - logic and resources that select the number of exposure flashes
13 on a layer by layer basis, which gives a predetermined CD
14 uniformity at a minimum of patterning cost.

1 5. A method for printing a workpiece with improved CD-uniformity by
2 using a partially coherent radiation source having a speckle pattern
3 which is a fine grained random variation in illumination different from
4 mode to mode and/or flash to flash, including the action of:

- 5 - changing a number of exposure flashes per surface element
6 on a layer by layer basis.

1 6. A method for printing a workpiece with improved CD-uniformity by
2 using a partially coherent radiation source having a speckle pattern

3 which is a fine grained random variation in illumination different from
4 mode to mode and/or flash to flash, including the action of:

- 5 - changing a pulse length of exposure flashes per surface
6 element on a layer by layer basis.

1 7. A method for printing a workpiece with improved CD-uniformity by
2 using a partially coherent radiation source having a speckle pattern
3 which is a fine grained random variation in illumination different from
4 mode to mode and/or flash to flash, including the action of:

- 5 - changing a radiation bandwidth of exposure flashes per
6 surface element on a layer by layer basis.

1 8. A method for printing a workpiece with improved CD-uniformity by
2 using a partially coherent radiation source having a speckle pattern
3 which is a fine grained random variation in illumination different from
4 mode to mode and/or flash to flash, including the action of:

- 5 - changing a slit width of exposure flashes per surface element
6 on a layer by layer basis.

1 9. The method according to any one of claims 5-8, wherein said changing
2 is performed for critical layers in the microelectronic device only.

1 10. A procedure to improve CD uniformity of a layer exposed in a scanner
2 or stepper using partially coherent light having a speckle pattern, which
3 speckle pattern is a fine grained random variation in illumination different
4 from mode to mode and/or flash to flash, including the actions of:

- 5 - providing a scanner system with an optical field larger than 10 mm,
6 - increasing one or more of the following parameters

7 a. slit width,

- 8 b. laser bandwidth,
9 c. pulse length,
10 d. laser flash frequency,
11 e. number of flashes,
12 f. number of flashes per field,
13 g. number of scan cycles per field

14 until the calculated illumination non-uniformity (3 sigma) from said speckle
15 amounts to less than 0.5%.

1 11. The procedure as in claim 10 but with calculated speckle less than 1%.

1 12. The procedure as in claim 10 but with calculated speckle less than 2%.

1 13. The procedure as claimed in claim 10 but with calculated speckle less than
2 3%.

1 14. The procedure according to claim 10, wherein non-polarised light is used.

1 15. The procedure according to claim 10, wherein refractive optics is used.

1 16. The procedure according to claim 15, wherein at least one diffractive
2 element is used.

1 17. The procedure according to claim 15, wherein catadioptric optics with at
2 least one diffractive element is used.

1 18. A procedure to improve CD uniformity of a layer exposed in a maskless
2 scanner using partially coherent light having a speckle pattern which is a fine grained
3 random variation in illumination different from mode to mode and/or flash to flash
4 comprising the steps of:

- 5 - providing a maskless scanner systems with an optical field larger than
6 0.5mm,

- increasing one or more of the following parameters:

a. laser bandwidth,

b. pulse length,

c. number of overlaid flashes,

until the calculated illumination non-uniformity (3 sigma) from said speckle amounts to less than 0.5%.

19. The procedure according to claim 18, wherein said calculated speckle is less than 1%.

20. The procedure according to claim 18, wherein said calculated speckle is less than 2%.

21. The procedure according to claim 18, wherein said calculated speckle is less than 3%.

22. The procedure according to claim 18, wherein non polarized light is used.

23. An apparatus for printing a workpiece with improved CD uniformity including:

- logic and resources to calculate speckle, which speckle is a fine grained random variation in illumination different from mode to mode and/or flash to flash,

- logic and resources that change the number of pulses per surface element on a layer to layer basis.

24. A procedure for optimizing speckle, which is a fine grained random variation in illumination different from mode to mode and/or flash to flash, during microlithographic printing including the actions of:

- providing a model for the value of improved CD uniformity,

- calculating the CD uniformity as a function of the number of flashes,

17-05-2005

- 6 - providing a model for the cost of printing with a particular number of
7 pulses,
- 8 - providing logic and resources that select a number of flashes that
9 corresponds to a preferred result,
- 10 - providing a control adapted to change the number of flashes, and
- 11 - setting said approximately optimized number of flashes.

1 25. An electronic device with improved CD uniformity printed with speckle,
2 which speckle is amounting from fine grained random variation in illumination
3 different from mode to mode and/or flash to flash, less than 1% (3 sigma).

1 26. The method according to claim 23, further including the actions of:

2 - determining, for a plurality of layers in said workpiece, CD uniformity as a
3 function of a number of exposure flashes,

4 - determining, for the plurality of layers in said workpiece, the cost of
5 patterning as a function of the number of exposure flashes,

6 - selecting the number of exposure flashes on a layer by layer basis, which
7 gives a predetermined CD uniformity corresponding to a preferred cost.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.